



Report #:

IF-824-QSA-TR006-BTL26161-04

Page 1 of 2



Title:

Certificate of Analysis (CoA)

Date: 4/6/2026
Date Tested: 4/3/2026
Customer: atozpeptides
Testing material: BPC-157
Lot Number: A2Z-BPC-0000001
BT Sample ID: 005000039522674
Labeled Peptide
Content/Potency: 10 mg
Storage: R.T.
Visual Description: small clear vial: white sample, blue label, silver crimp, blue plastic cap.
Labeled as: BPC
Manufacturer: Hueyi Biotechnology
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	55.3 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of BPC-157 with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	98.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10.5 mg (105.3 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10.5 : 44.8 mg (1:4.3)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>


IF-824-QSA-TR006

Rev 1.0 January 2025


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: BPC Lot A2Z-BPC-0000001



HPLC Purity and Potency Assay @ 220 nm: BPC Lot A2Z-BPC-0000001



BPC-157 Lot A2Z-BPC-0000001 @ 220 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	3.729	10279.9
2	4.112	331.9

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.0 January 2025