

Title:

Certificate of Analysis (CoA)



Date: 7/3/2026
Date Tested: 7/1/2026
Customer: AtoZ Research
Testing material: Retatrutide
Lot Number: A2Z-RETA-0000001
BT Sample ID: 005000040649541
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, holographic label, silver crimp, green plastic cap.
Labeled as: AtoZ RT
Manufacturer: Peptide Biotech
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	58.6 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10 mg (100.2 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10 : 48.6 mg (1:4.9)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.



Andrea Castro, AS
 Scientist-II
 BTLabs



Verna Zheng, AS
 Scientist-II
 BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006


Rev 1.0 January 2025

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: AtoZ RT Lot A2Z-RETA-0000001



HPLC Purity and Potency Assay @ 280 nm: AtoZ RT Lot A2Z-RETA-0000001



Retatrutide Lot A2Z-RETA-0000001 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	9.976	867.4

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.0 January 2025