

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 20mg

Tested for: AtoZ Research LLC
www.atozpeptides.com

COA #: COA-2026-7BCFZW
Lot Number: A2Z-RETA-0000002
Accession #: ACC-2026-14225
Labeled Content: 20mg

Analysis Date: 08/06/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 08/04/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: V3RQG4G4

Method: Endotoxin (USP <85>), Heavy Metals (ICP-MS)

Identity

Retatrutide



Fentanyl
Free

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	0.0463	PASS
Cadmium (Cd)	NMT 0.5 ppm	0.093	PASS
Lead (Pb)	NMT 1.0 ppm	0.003	PASS
Mercury (Hg)	NMT 1.5 ppm	0.0523	PASS
Chromium (Cr)	NMT 10.0 ppm	0.033	PASS



Retatrutide 20mg -
A2Z-RETA-0000002

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	NMT 0.5 EU/mL	0.157 EU/mL	PASS

Acceptance criteria: NMT 0.5 EU/mL per client specification.

Notes & Methodology

- Date Tested: 08/06/2026. Methods: .
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
8/6/2026

COA #: COA-2026-7BCFZW
Access Code: V3RQG4G4
Verify: portal.ils-lab.com/verify/gi8S51U1VBGcf3IT
Issued: 8/6/2026